

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 48] NEW DELHI, SATURDAY, DECEMBER 20, 1958/AGRAHAYANA 29, 1880.

OFFICIAL PAPERS

Reported attacks and deaths from cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 22nd November, 1958

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
Andhra Pradesh																Madhya Pradesh																															
§ "N. R."																"N. R."																															
Assam																Madras																															
Goalpara	.	.	3	3	Madras City	.	15	4	40	3														
Kamrup	.	.	10	7	Chingleput	6														
TOTAL		13	10	South Arcot	11	3														
Total for w/c 15-11-58		27	8	Tiruchirappalli	5	2														
Total for w/c 4-10-58		9	3	Tanjore	13	8														
Bihar																Madurai	8	1														
w/c 4-10-58																Ramanathapuram	4	1													
Patna	.	.	44	13	Tirunelveli	3														
Champaran	.	.	6	4	North Arcot	73	13														
Darbhanga	16	7	Salem	17	7														
Monghyr	.	.	12	6	3	2	Coimbatore	2	1														
Santal Parganas	.	.	8	3	Kanya Kumari	13	7														
Hazaribagh	9	1	TOTAL		15	4	195	46														
Palamau	.	.	2	1	10	4	Total for w/c 15-11-58		8	1	167	52														
TOTAL		72	27	38	14	Total for w/c 8-11-58		2	..	149	36														
Bombay																Manipur																															
"N. R."																TOTAL													
Delhi																Total for w/c 15-11-58		
"N. R."																Total for w/c 8-11-58			
Himachal Pradesh																Mysore																															
"N. R."																"N. R."																															
Kerala																Orissa																															
Quilon	1	Cuttack	1														
Alleppey	2	3	Balasore	1														
Kottayam	1	Puri	.	.	4	3	7	5														
Trichur	28	24	Sambalpur	11	2														
Palghat	2	1	Bandh	9	1														
Kozhikode	3	2	Ganjam	.	.	18	8	35	9														
Cannanore	2	Koraput	10	2														
TOTAL		35	34	Dhenkanal	1														
Total for w/c 15-11-58		26	15	Bolangir-Patna	22	4														
Total for w/c 8-11-58		21	6	Kalahandi	9	1														
																TOTAL		22	11	106	24														
																Total for w/c 15-11-58		37	19	84	15														
																Total for w/c 8-11-58		27	17	112	33														

Explanation of Symbols used :—C.=Cases ; D.=Deaths; ..=Nil ; "N. R."=Information not received.
(685)

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd November, 1958—Contd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Pondicherry								Mysore							
TOTAL	3	2	w/e 15-11-58							
Total for w/e 15-11-58	1	1	Bangalore	10	2
Total for w/e 8-11-58	"N.R."	Chitradurga	..	27	16
Punjab								Kolar	4
Karnal	..	1	Mandya	5	1
Sangrur	24	3	Mysore	1	1
Total	24	3	Shimoga	..	2	2
Total for w/e 15-11-58	Bellary	..	5	5
Total for w/e 8-11-58	1	Bijapur	..	2	2	6
Rajasthan								Coorg (Mercara)	2	1
"N.R."								TOTAL	..	36	25	28	5
Tripura								Himachal Pradesh							
"N.R."								w/e 27-9-58							
Uttar Pradesh								TOTAL
Agra	4	w/e 1-11-58							
Allahabad	3	Mahasu	4
Almora	1	Mandi	5	2
Bara Banki	2	TOTAL	9	2
Farrukhabad	1	1	West Bengal							
Faizabad	8	3	w/e 15-11-58							
Kanpur	1	Burdwan	6	6
Lucknow	..	6	4	2	Bankura	..	2	1
Muzaffar Nagar	1	1	Midnapore	16	2
Nainital	9	3	Hooghly	4
TOTAL	..	6	33	11	Howrah	..	1	3	2
Total for w/e 15-11-58	4	..	7	2	24-Parganas	..	11	3	15	5
Total for w/e 8-11-58	5	..	19	4	Calcutta	..	5
West Bengal								West Dinajpur	6	1
"N. R."								TOTAL	..	19	4	50	16
Total for India (excluding Andhra Pradesh, Bombay, Delhi, Himachal Pradesh, Madhya, Mysore, Punjab, Rajasthan, Tripura and West Bengal)								Punjab							
129	52	434	134	w/e 15-11-58							
Corresponding Total for w/e 15-11-58	284	94	291	85	TOTAL
*Corresponding Total for w/e 8-11-58	156	61	307	79	Madhya Pradesh							
*Excluding Pondicherry								w/e 13-9-58							
ARREAR INFORMATION								Guna	..	34	15
Bombay								Betul	..	10	8
w/e 15-11-58								Balaghat	..	14	6	3
Greater Bombay	2	Bilaspur	..	21	15	17	4
Ahmednagar	15	Narsinghpur	1
Kolhapur	..	1	1	Raigarh	..	51	21	84	19
Nasik	3	Raipur	..	61	11
North Satara	2	Sagar	..	1
Sholapur	..	4	2	Surguja	..	23	9
Thana	..	10	8	TOTAL	..	215	85	105	23
Akola	..	26	6	8	2	w/e 20-9-58							
Amraoti	..	1	Balaghat	..	3	2
Wardha	..	2	Betul	..	10	10
Osmanabad	..	1	Bilaspur	..	24	16	8	3
Surat	..	14	7	Narsinghpur	2
Sorath	10	Raigarh	..	10	8	23	10
TOTAL	59	24	40	2	Surguja	..	5	2
								Sahdol	..	4
								TOTAL	..	56	38	33	13

Explanation of symbols used:—C=Cases; D=Deaths; .. =Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 22nd November, 1958—conclde

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.		C.	D.		C.	D.		C.	D.	
Madhya Pradesh—Contd.						Bihar					
w/e 27-9-58						w/e 15-11-58					
Nimar (Khandwa)	22	9	Patna	59	13
Hoshangabad	15	14	Shahabad	4	2
Betul	9	8	Monghyr.	20	9
Balaghat	1	..	5	Bhagalpur	14	1
Bilaspur	7	5	Santal Parganas.	72	28
TOTAL	54	36	5	Hazaribagh	17	8
Delhi						Ranchi	..	5
w/e 15-11-58						Palamau	12	5	1
Delhi Notified Area	1	TOTAL	198	66	6
TOTAL	1	REMARKS					
Explanation of symbols used :— C.—Cases; D.—Deaths; .. — Nil Information.						No epidemic conditions of cholera or smallpox were reported from any part of the country.					

NEW DELHI-2 (INDIA);
The 15th December, 1958. }

H. R. SHARMA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN
GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-	Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX	
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.	INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 22nd November, 1958

Towns	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Andhra Pradesh		w/e 28-6-58												
Adoni	72	35	25·3	2	1	2	..	9	6·5	..	
Anantpur	42	27	33·5	..	1	..	1	1	5	2	17	21·0	4	
Anakapalli	51	39	39·8	2	..	2	..	19	19·4	2	
Bhimavaram	41	26	33·0	1	7	8·9	1	
Chirala	48	26	28·2	1	7	12	13·0	2	
Chittoor	50	70	72·8	2	..	2	..	18	18·7	4	
Cuddapah	46	23	26·0	1	..	1	..	14	15·8	2	
Ellore	108	46	22·1	1	1	2	..	21	10·1	3	
Gudivada	40	18	23·4	1	2	2	8	10·4	1	
Guntur	168	142	44·0	3	5	8	..	53	16·4	14	
Guntakal	43	40	48·4	1	..	1	..	3	3·6	1	
Kakinada	123	34	14·4	3	1	1	..	13	5·5	4	
Kurnool	74	88	61·9	7	3	1	..	26	18·3	7	
Masulipatnam	95	101	55·2	2	..	1	..	20	10·9	3	
Nandyal	40	33	42·9	1	4	9	11·7	4	
Nellore	107	92	44·7	6	3	3	..	63	30·6	17	
Proddutur	46	30	33·9	2	..	1	..	12	13·6	4	
Rajahmundry	137	70	26·6	6	1	2	..	32	12·2	11	
Tenali	76	51	34·9	1	2	2	..	15	10·3	3	
Vijayawada	253	195	40·2	10	3	9	1	79	16·3	19	
Visakhapatnam	148	105	36·9	15	19	26	..	81	28·4	12	
Vizianagram	81	49	31·5	3	3	6	1	39	25·0	10	
Hyderabad	1,291	386	15·4	30	7	12	..	124	5·0	16	
Warrangal†														
Nizamabad	81	13	8·3	2	..	2	1·3	..	
Kothagudiam†														
Secunderabad	192	155	42·0	3	2	9	..	47	12·7	10	
TOTAL	3,453	1,894	28·5	3	1	..	110	53	99	8	743	11·2	154	
Assam														
Gauhati	58	10	9·0	3	3	..	1	18	16·1	1	
Shillong†														
Dibrugarh	54	6	5·8	
Silchar	57	58	52·9	2	2	12	10·9	5	
Total	169	74	22·8	5	5	..	1	30	9·2	6	
Bihar														
Bombay														
Delhi														
Kerala														
Madhya Pradesh														
Madras														
Ambur	48	32	34·7	5	11	11·9	2	
Arrupukottai	62	37	31·0	3	3	3	..	26	21·8	8	
Bodinayakanur	43	23	27·8	4	7	8·5	3	
Chidambaram	43	37	44·7	1	..	1	..	8	9·7	1	
Coimbatore†														
Cuddalore	76	47	32·2	3	4	..	34	23·3	10	
Dindigul	100	155	80·6	2	3	13	6·8	5	
Erode	77	55	37·1	2	..	23	15·5	3	
Gobichetipalayam	48	15	16·2	1	..	1	1	8	8·7	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.E.*
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Madras—contd.														
Gudiyattam	58	33	29.6	I	I	11	9.9	2	
Kancheepuram	93	78	43.6	I	I	12	..	26	14.5	5	
Karaikudi	47	37	40.9	I	I	9	10.0	2	
Karur	57	42	38.3	..	I	..	5	..	I	..	14	12.8	4	
Kumbakonam	115	127	57.4	8	4	2	46	20.8	5	
Madras City	2,011	1,795	46.4	3	6	..	90	92	156	..	624	16.1	165	
Madurai	488	374	39.9	8	7	21	..	156	16.6	43	
Mayuram	53	57	55.9	I	..	I	..	10	9.8	4	
Maliapalayam	43	11	13.3	I	2	6	7.3	2	
Nagapattinam	62	18	15.1	5	2	7	I	34	28.5	6	
Nagercoil	109	50	23.9	I	3	..	16	7.6	3	
Ootacamund	53	36	35.3	4	..	12	11.8	5	
Palni	44	40	47.3	2	..	10	11.8	5	
Palayamkottai	48	75	81.2	2	..	2	2	33	35.7	8	
Periyakulam	35	16	23.8	2	I	..	14	20.8	4	
Pollachi	60	33	28.6	I	I	..	7	6.1	I	
Pudukottai	54	44	42.4	1	..	18	17.3	4	
Rajapalayam	74	59	41.5	3	6	4	..	30	21.1	8	
Salem	279	140	26.1	..	2	..	4	4	14	I	59	11.0	6	
Srirangam	46	58	65.6	3	2	6	I	31	35.0	4	
Srivilliputtur	45	21	24.3	2	I	13	15.0	7	
Tanjore	133	41	16.0	3	3	..	36	14.1	4	
Tiruchirappalli	276	172	32.4	7	4	5	I	67	12.6	8	
Tirunelveli	84	63	39.0	6	7	..	35	21.7	11	
Tiruppur	73	77	54.8	2	5	I	17	12.1	4	
Tiruvannamalai	47	35	38.7	I	2	5	5.5	I	
Tuticorin	121	74	31.8	2	6	9	I	42	18.0	13	
Vaniyambadi	45	25	28.9	4	..	6	6.9	..	
Vellore	141	144	53.1	2	4	10	I	53	19.5	18	
Villapuram	42	26	32.2	2	10	12.4	I	
Virudhunagar	57	94	85.8	3	3	2	..	18	16.4	3	
TOTAL	5,390	4,296	41.4	3	9	..	152	172	298	16	1,598	15.4	389	
Mysore														
Bangalore	1,246	491	20.4	26	68	..	239	9.9	5	
Mysore	347	183	27.4	22	3	5	..	69	10.3	3	
Kolar Gold Fields	180	118	34.0	2	2	24	6.9	..	
Bellary	83	30	18.7	5	4	I	..	24	15.0	I	
Davangere	85	81	49.5	4	I	20	12.2	2	
Shimoga†														
Bhadravati†														
Hospett†														
Tumkur	51	12	12.2	12	I	13	13.2	..	
Kolar†														
Chitaldrug	37	21	29.5	3	4.2	..	
Hassan†														
Bidar†														
Gulbergat†														
Raichur†														
Bijapur†														
Belgaum	110	83	39.2	6	..	I	..	20	9.4	2	
Dharwar	85	35	21.4	2	I	I	2	26	15.9	..	
Bagalkott†														
Mangalore	153	52	17.6	3	26	8.8	2	
Gadag Betegere†	73	68	48.4	7	I	4	2	23	16.3	..	
Hubli†														
TOTAL	2,450	1,174	24.9	63	39	80	4	487	10.3	15	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C=Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..=No information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 22nd November, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*											
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Orissa		"NR"												
Pondicherry	68	70	53.5	4	3	6	1	26	19.9	11	
Punjab														
Ambala	62	59	49.5	4	1	4	..	15	12.6	4	
Amritsar	359	276	40.0	9	38	1	109	15.8	46	
Batala	66	41	32.3	5	2	3	..	15	11.8	5	
Bhiwani	59	51	44.9	1	2	4	..	12	10.6	3	
Ferozepur	47	28	31.0	1	3	..	7	7.8	1	
Hissar	41	44	55.8	4	..	4	..	11	14.0	1	
Hoshiarpur	54	33	31.8	3	..	8	7.7	4	
Jullundur†	83	50	31.3	10	2	2	..	19	11.9	2	
Karnal	194	183	49.1	4	..	14	..	56	15.0	15	
Ludhiana	72	49	35.5	5	..	3	..	11	8.0	4	
Moga†	36	44	63.6	1	1.4	..	
Panipat	40	26	33.8	4	7	9.1	2	
Pathankot	96	103	55.8	11	4	2	..	23	12.5	6	
Rewari	53	33	32.4	1	3	2.9	..	
Rohatak	36	45	65.0	2	..	1	..	4	6.8	1	
Simla	45	19	22.0	2	1	..	1	5	5.8	..	
Sonepat	35	44	65.4	2	2	3.0	..	
Bhatinda	125	106	44.1	15	..	3	..	30	12.5	8	
Malerkotla	83	8	5.0	5	1	1	..	15	9.3	2	
Patiala	121	35	15.0	1	..	1	..	6	2.6	..	
TOTAL	1,503	1,234	42.7	70	22	84	2	338	11.7	102	
Rajasthan														
Ajmer	244	119	25.4	9	..	10	..	35	7.4	6	
Alwar†	117	50	22.2	3	2	9	..	30	13.3	3	
Beawar†	52	9	9.0	—	1	1	1.0	..	
Bharatpur†	65	4	3.2	3	5	4.0	3	
Bikaner	83	8	5.0	5	1	1	..	15	9.3	2	
Churu	121	35	15.0	1	..	1	..	6	2.6	..	
Ganganagar	682	225	17.2	21	3	21	1	92	7.0	14	
Jaipur†	404	400	51.6	2	42	..	91	11.7	25	
Jodhpur†	372	194	27.2	4	22	..	60	8.4	10	
Kotah	61	80	68.4	4	6	7	1	32	27.3	9	
Sikar†	49	22	23.4	3	5	5.3	2	
Tonk†	416	427	53.5	49	10	9	..	187	23.4	47	
Udaipur	206	70	17.7	—	10	1	14	..	34	8.6	2	
TOTAL	682	225	17.2	21	3	21	1	92	7.0	14	
Uttar Pradesh														
Agra	404	400	51.6	2	42	..	91	11.7	25	
Allahabad	372	194	27.2	4	22	..	60	8.4	10	
Amroha	61	80	68.4	4	6	7	1	32	27.3	9	
Bahraich	49	22	23.4	3	5	5.3	2	
Banaras	416	427	53.5	49	10	9	..	187	23.4	47	
Bandat†	206	70	17.7	—	10	1	14	..	34	8.6	2	
Bareilly	55	30	28.4	2	3	4	..	15	14.2	2	
Basti†	55	30	28.4	2	3	4	..	15	14.2	2	
Ballia†	55	30	28.4	2	3	4	..	15	14.2	2	
Bijnor†	55	30	28.4	2	3	4	..	15	14.2	2	
Budaun	55	30	28.4	2	3	4	..	15	14.2	2	
Bulandshahr	55	30	28.4	2	3	4	..	15	14.2	2	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November 1958—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Chandauli . . .	44	54	64.0	6	1	1	..	14	16.9	5		
Dehra Dun . . .	186	49	13.7	1	1	..	17	4.8	4		
Etawah†															
Faizabad-Ayodhya . . .	94	40	22.2	2	..	1	..	9	5.0	2		
Furkhabad-Fatehgarh . . .	78	49	32.7	14	5	4	..	33	22.1	15		
Firozabad . . .	93	44	24.7	9	..	2	..	19	10.6	1		
Ghaziipur . . .	35	24	35.7	6	1	1	..	10	14.9	..		
Ghaziabad . . .	68	48	36.8	3	..	2	..	10	7.7	1		
Gonda . . .	35	15	22.3	5	..	2	..	10	14.9	3		
Gorakhpur . . .	150	135	46.9	8	9	7	..	33	11.5	11		
Hapur . . .	65	48	38.5	6	2	9	7.2	3		
Hardwar . . .	73	48	34.3	19	..	2	..	33	23.6	7		
Hathras	65	57	45.7	24	8	23	1	66	52.8	17		
Jaunpur . . .	59	27	23.9	3	1	..	1	8	7.1	1		
Jhansi . . .	132	102	40.3	17	1	1	..	26	10.3	9		
Kanpur . . .	810	404	26.0	115	27	41	9	310	19.9	57		
Kasganj . . .	34	4	6.1	3	3	4.6	..		
Khurja†															
Koil-Aligarh . . .	167	48	14.1	17	6	14	..	52	16.2	17		
Lucknow . . .	525	546	54.2	29	16	17	..	151	14.1	48		
Mathura . . .	118	130	57.4	18	..	8	4	40	17.7	7		
Mau-Nath Bhanjan . . .	39	29	38.8	4	2	10	13.4	3		
Meerut . . .	198	203	53.4	10	4	9	1	38	10.0	15		
Mirzapur-Vindhyachal . . .	100	64	33.4	10	3	4	..	23	11.1	8		
Moradabad . . .	165	115	36.3	12	3	8	..	39	12.3	6		
Muzaffarnagar . . .	81	42	27.0	3	2	8	5.1	1		
Pilibhit†															
Rampur†															
Saharanpur . . .	178	134	39.2	43	3	4	..	61	17.9	13		
Sambhal†															
Sitapur . . .	52	19	19.0	2	..	2	..	6	6.0	2		
Shahjahanpur†															
TOTAL . . .	5,207	3,701	37.0	456	121	252	17	1,462	14.6	353		
West Bengal															
Madhya Pradesh															
“N.R.”															
ARREAR INFORMATION															
w/e 25-10-1958															
Bilaspur†															
Burhanpur . . .	85	60	36.7	15	2	7	..	38	23.1	..		
Damoh . . .	47	24	26.5	1	1	8	..	10	11.0	..		
Jabalpur†															
Khandwa . . .	64	21	17.0	3	..	2	..	5	4.0	..		
Raipur†															
Murwara†															
Sagar†															
Chindwara†															
Raigarh†															
Itarsi . . .	37	26	36.5	4	14	19.6	1		
Greater Gwalior . . .	297	92	16.1	2	1	14	2.4	..		
Indore . . .	423	150	18.4	17	5	42	3	105	12.9	..		
Ratlam† . . .															
Ujjain†															
Bhopal city†															
Mandsaur . . .	48	12	13.0	2	..	5	..	9	9.7	2		
TOTAL . . .	1,001	395	20.5	44	9	64	3	194	10.1	3		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R. —Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (Included in total deaths) ; ..—Nil Information ; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D
		B	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Madhya Pradesh—contd.		w/e 1-II-58												
Bilaspur†														
Burhanpur . . .	85	70	42.8	9	1	3	..	26	15.9	..	
Damoh . . .	47	23	25.4	4	3	2	..	13	14.3	..	
Jabalpur†														
Khandwa . . .	64	21	2.3	2	..	2	..	5	4.0	..	
Raipur†														
Murwar†														
Sagar†														
Chindwar†														
Raigarh . . .	39	13	17.3	1	1	3	4.0	..	
Itarsi†														
Greater Gwalior . . .	297	71	12.4	3	..	1	..	19	3.3	3	
Indore . . .	423	259	31.7	13	3	24	..	81	9.9	28	
Ratlam†														
Ujjain . . .	183	72	20.4	16	1	44	12.5	11	
Bhopal City†														
Mandsaur†	48	7	8.0	
TOTAL . . .	1,186	535	23.5	48	9	32	..	191	8.4	42	
Assam		w/e 15-II-1958												
Gauhati . . .	58	26	23.3	5	1	14	12.6	5	
Shillong†														
Dibrugarh . . .	54	2	1.9	2	2	1.9	..	
Silchar . . .	57	52	47.4	1	1	14	12.8	3	
TOTAL . . .	169	80	24.6	8	2	30	9.2	8	
Bihar		w/e 1-II-1958												
Arrah . . .	74	9	6.3	1	3	2.1	..	
Bettiah . . .	40	4	5.2	2	4	5.2	..	
Bhagalpur . . .	133	31	12.1	9	27	10.6	..	
Bihar . . .	70	5	3.7	2	2	1	5	3.7	..	
Chapra . . .	72	43	31.1	9	6.5	2	
Darbhanga . . .	98	23	12.2	3	1.6	..	
Dhanbad . . .	48	11	11.9	1	7	7.6	..	
Dinapur . . .	45	2	2.3	..	
Gaya . . .	159	57	18.6	16	5	10	..	55	18.0	..	
Hazaribagh . . .	42	17	21.0	4	5.0	..	
Jamalpur†														
Jamshedpur . . .	266	135	26.4	8	..	2.4	4.7	..	
Katihar . . .	60	3	2.6	3	1	..	1	7	6.1	..	
Monghyr . . .	84	4	2.5	3	1.9	..	
Muzaffarpur . . .	92	32	18.1	5	2	4	..	28	15.8	..	
Patna . . .	371	107	15.0	1	1	3.7	5.2	..	
Ranchi . . .	157	29	9.6	8	1	2.0	6.6	7	
TOTAL . . .	1,811	510	14.6	2	48	11	24	1	238	6.8	9	
		w/e 8-II-1957												
Arrah . . .	74	16	11.2	3	..	1	..	9	6.3	..	
Bettiah . . .	40	5	6.5	1	1	..	5	6.5	..	
Bhagalpur . . .	133	36	11.1	6	16	6.3	..	
Bihar . . .	70	8	5.9	2	3	2.2	..	
Chpura . . .	72	48	34.7	5	1	20	14.4	8	
Darbhanga . . .	98	26	13.8	5	2	14	7.4	..	
Dhanbad . . .	48	14	15.2	4	4.3	..	
Dinapur . . .	45	2	2.3	3	3.5	..	
Gaya . . .	159	54	17.7	15	4	16	..	51	16.7	..	
Hazaribagh . . .	42	19	23.5	5	6.2	3	
Jamalpur†														
Jamshedpur . . .	266	125	24.4	1	..	6	..	20	3.9	5	
Katihar . . .	60	4	3.5	1	1	1.0	..	
Monghyr . . .	84	11	6.8	5	3.1	..	
Muzaffarpur . . .	92	23	13.0	1	2	11	6.2	..	
Patna . . .	371	128	17.9	1	31	4.3	..	
Ranchi . . .	157	17	5.6	6	19	6.4	8	
TOTAL . . .	1,811	536	15.4	6	42	8	24	..	217	6.2	24	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November, 1958—*contd.*

Towns		Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh:			w/e 25-10-58												
Adoni	.	.	72	42	30.3	1	17	12.3	1
Anantpur	.	.	42	15	18.6	3	6	7.4	..
Anakapalli†															
Bhimavaram	.	.	41	38	48.2	2	..	1	..	10	12.7	1
Chirala	.	.	48	25	27.1	5	1	1	..	22	23.8	..
Chittoor	.	.	50	24	25.0	2	..	1	3	10	10.4	3
Cuddapah	.	.	46	39	44.1	4	3	3	..	24	27.1	2
Ellore	.	.	108	30	14.4	3	1	9	3	41	19.3	12
Gudivada	.	.	40	33	42.9	1	10	13.0	4
Guntur	.	.	168	96	29.8	4	6	9	1	90	27.9	25
Guntakal	.	.	43	31	37.4	1	2	1	..	9	10.9	2
Kakinada	.	.	123	34	14.4	3	1	2	..	16	6.8	4
Kurnool	.	.	74	59	41.5	9	3	..	1	37	26.0	12
Masulipatnam	.	.	95	370	186.0	1	2	1	..	36	19.7	8
Nandyal	.	.	40	17	22.1	1	..	2	..	10	13.0	3
Nellore	.	.	107	100	48.6	2	..	4	..	44	21.4	16
Proddutur	.	.	46	37	41.8	1	1	4	..	17	19.2	..
Rajahmundry	.	.	137	51	19.4	1	1	11	4.2	2
Tenali	.	.	76	62	42.4	1	1	1	6	..	29	19.8	6
Vijayawada	.	.	253	162	33.4	8	4	6	..	58	11.9	15
Visakhapatnam	.	.	148	86	30.2	12	12	17	..	61	21.4	6
Vizianagaram	.	.	81	49	31.5	5	4	2	..	33	21.2	3
Hyderabad	.	.	1,291	620	24.8	28	11	25	..	154	6.2	17
Warrangal†															
Nizamabad†															
Kothagudiam†															
Secunderabad	.	.	192	124	33.6	11	1	6	..	48	13.0	13
TOTAL	.		3,321	2,144	33.6	1	109	54	100	8	793	12.4	146
			w/e 1-11-1958												
Adoni	.	.	72	47	33.9	3	1	9	6.5	1
Anantpur	.	.	42	42	52.0	..	1	..	3	..	4	2	25	31.0	3
Anakapalli†	.	.													
Bhimavaram	.	.	41	32	40.6	2	1	12	15.2	3
Chirala	.	.	48	62	67.1	13	3	1	3	..	26	28.2	5
Chittoor	.	.	50	34	35.4	2	..	2	1	12	12.5	4
Cuddapah	.	.	46	47	53.1	3	2	6	1	23	26.0	3
Ellore	.	.	108	57	27.4	6	1	7	2	50	24.0	2
Gudivada	.	.	40	35	45.5	4	9	11.7	..
Guntur	.	.	168	220	68.2	3	2	6	..	67	20.8	26
Guntakal	.	.	43	36	43.5	1	1	3	..	19	22.8	1
Kakinada	.	.	123	34	14.4	2	1	13	5.5	4
Kurnool	.	.	74	106	74.5	11	5	5	11	61	42.9	9
Masulipatnam	.	.	95	94	51.4	1	3	1	..	38	20.8	8
Nandyal	.	.	40	40	52.0	1	2	17	22.1	4
Nellore	.	.	107	124	60.3	9	1	1	1	54	26.2	17
Proddutur	.	.	46	34	38.4	1	..	1	1	10	11.3	4
Rajahmundry	.	.	137	89	33.8	4	1	1	..	29	11.0	7
Tenali	.	.	76	61	41.7	1	3	..	16	10.9	4
Vijayawada	.	.	253	176	36.3	18	6	6	2	89	18.3	26
Visakhapatnam	.	.	148	102	35.8	28	17	24	..	88	30.9	12
Vizianagaram	.	.	81	55	35.3	4	3	3	..	37	23.8	8
Hyderabad†															
Warrangal†															
Nizamabad†															
Kothagudiam	.	.	80												
Secunderabad	.	.	192	115	31.2	5	2	6	1	52	14.1	..
TOTAL	.		2,110	1,642	40.5	14	1	..	113	51	82	22	756	18.6	153

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November, 1958—*contd.*

Town	Mid-Year Popn. Est. (000)	Death from										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D				
Andhra Pradesh—contd.		"N. R."												
w/e 15-11-58														
Adoni	72	48	34.7	1	1	1	..	13	9.4	3	
Anantpur	42	17	17.3	1	1	2	..	9	9.2	4	
Anakapalli	51	30	37.2	2	5	2	22	27.3	5	
Bhimavaram	41	33	41.8	4	..	1	11	3.9	1	
Chirala	48	21	22.7	6	..	1	..	16	11.9	1	
Chittoor	50	15	15.6	2	..	2	..	7	7.3	1	
Cuddapah	46	31	35.0	..	1	..	4	..	1	..	14	15.8	1	
Ellore	108	52	25.0	2	..	4	..	22	10.6	5	
Gudivada	40	37	48.1	1	7	9.1	1	
Guntur	168	132	40.9	9	1	7	..	79	2.8	26	
Guntakal	43	24	29.0	1	3	..	9	10.9	2	
Kakinada	123	38	16.1	3	1	2	..	16	6.8	4	
Kurnool	74	43	30.2	3	1	1	..	20	14.1	2	
Masulipatnam	95	147	80.4	1	3	..	28	15.3	7	
Nandyal	40	24	31.2	1	..	2	10	9	11.7	..	
Nellore	107	99	48.1	5	4	3	1	62	30.1	15	
Proddutur	40	24	27.1	2	9	10.2	2	
Rajahmundry	137	54	20.5	2	..	1	..	18	6.8	2	
Tenali	76	87	59.5	1	1	3	..	21	14.4	6	
Vijayawada	253	157	32.3	13	..	5	1	65	13.4	14	
Visakhapatnam	148	84	29.5	8	15	15	..	52	18.3	8	
Vizianagaram	81	40	25.7	1	..	2	..	18	11.6	5	
Hyderabad	1,291	289	11.6	25	9	16	1	156	6.2	9	
Warrangal†														
Nizamabad†														
Kothagudiam	80	35	22.8	8	5.2	..	
Secunderabad	192	121	32.8	5	3	5	..	43	11.7	14	
TOTAL	3452	1682	25.3	2	1	..	95	43	84	7	734	11.1	138	
Kerala		w/e 25-10-1958												
Alleppey	195	19	5.1	2	0.5	..	
Changanacherry	44	2	2.4	
Kottayam	55	12	11.4	1	2	1.9	..	
Ernakulam	77	10	6.8	1	4	2.7	1	
Mavelicherry	91	
Quilon	82	4	2.5	1	2	1	1	10	6.3	2	
Trichur	30	6	3.9	1	2	1.3	..	
Trivandrum														
Kozhikode	187	148	41.2	6	2	5	5	83	23.1	17	
Palghat	82	83	52.6	23	14.6	3	
Cananore	49	32	34.9	3	..	10	10.6	1	
Tellicherry	43	32	50.4	1	1	16	19.3	..	
Cochin	33	32	50.4	1	..	1	..	9	14.2	2	
TOTAL	1,021	380	19.4	10	5	11	7	161	8.2	26	
w/e-1-11-58														
Alleppey	193	13	5.5	1	..	3	0.8	1	
Changanacherry	44	37	43.7	
Kottayam	55	12	11.4	1	5	4.7	1	
Ernakulam	77	19	12.8	
Mavelicherry	91	23	12.7	1	1	1	..	20	11.1	4	
Quilon	82	6	3.8	1	..	5	3.2	..	
Trichur	30	2	1.3	
Trivandrum	187	39	9.4	1	7	1.7	..	
Kozhikode	18	184	51.2	4	..	2	..	43	13.4	16	
Palghat	82	81	51.4	1	23	14.6	3	
Cananore	49	26	28.0	3	..	2	..	9	10.0	2	
Tellicherry	43	61	73.8	1	18	21.8	3	
Cochin	33	24	37.8	1	10	15.8	2	
TOTAL	1,268	527	21.6	10	2	7	2	143	5.9	32	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Kerala—contd.													
<i>w/e 8-II-58</i>													
Alleppey	195	23	6.1	1	7	1.9	..
Changanacherry	44	22	26.0	1	5	5.9	2
Kottayam†	55	17	16.1	1	4	3.0	1
Ernakulam	77	56	4.1
Mattancherry	94	22	12.2	1	..	3	..	16	8.9	3
Quilon	82	95	60.2	1	4	2.5	..
Trichur	80	9	5.9	1	..	1	..	14	9.1	1
Trivandrum	247	122	25.7	1	..	14	2.9	1
Kozhikode	187	145	40.3	7	..	3	..	66	18.4	..
Palghat	82	50	31.7	1	..	1	..	13	8.2	2
Cannanore	49	33	35.0	1	9	10.0	2
Tellicherry	43	29	35.1	1	10	12.1	..
Cochin	33	46	72.5	1	13	20.9	1
TOTAL	1,268	639	28.3	16	1	9	..	175	7.2	13
<i>w/e 15-II-58</i>													
Alleppey	195	24	6.4	1	4	1.1	1
Changanacherry	44	26	30.7	1	..	3	3.6	..
Kottayam	55	7	6.6	3	2.8	..
Ernakulam	77	3	2.0	5	3.4	1
Mattancherry	94	14	7.7	2	..	28	15.5	7
Quilon	82	7	4.4	1	..	2	1.3	1
Trichur	80	6	3.9	1	..	1	..	12	7.8	..
Trivandrum	247	92	19.4	2	9	1.9	1
Kozhikode													
Palghat	82	35	22.2	1	..	3	..	13	8.2	2
Cannanore	49	33	35.0	2	..	9	10.0	2
Tellicherry	43	42	50.8	1	1	..	9	10.9	1
Cochin	33	37	58.3	6	9.5	3
TOTAL	1081	32.6	15.7	5	1	11	..	103	5.0	20
<i>w/e 1-II-58</i>													
Bombay													
Ahmedabad	970	823	47.3	27	14	80	..	342	18.3	89
Ahmednagar	108	105	50.6	4	1	7	..	32	15.4	11
Amalner	54	32	30.8	5	..	2	..	8	7.7	1
Baroda	266	244	47.7	24	2	13	..	82	16.0	26
Barsi	48	53	57.4	12	..	1	..	29	31.4	5
Bhusawal	73	66	45.6	4	1	17	13.1	4
Broach	68	70	52.5	10	..	6	..	23	17.6	2
Cambay	42	46	56.9	2	..	18	22.3	6
Chalisgaon	38	19	26	5	1	2	..	10	13.7	2
Dhulia	101	74	38.1	12	1	1	..	19	9.8	2
Godhra	41	25	31.7	5	1	9	11.4	2
Greater Bombay	4,117	2,696	34.0	6	40	124	3	695	8.8	207
Jaigaon	88	161	95.1	8	2	2	..	23	13.6	5
Kalyan	93	80	11.7	2	2	3	..	17	9.5	5
Kothapur	181	137	39.4	2	1	14	..	64	18.4	14
Malegaon	74	52	36.5	29	1	1	..	35	24.6	8
Miraj	47	10	11.1	1	11	12.2	..
Nadiad	78	51	34.0	11	20	13.3	6
Nandurbar	38	27	36.9	1	..	2	..	6	8.2	1
Nasik	151	60	20.7	8	2	1	1	25	8.6	..
Narsari	52	43	43.0	10	13	13.0	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Small-pox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D. Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 22nd November, 1958—concl'd.

Towns	Mid-year. popn.Est. (000)	B.	B.R. *	Deaths from							Total	D.R. *	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bombay—contd.													
Pandharpur	47	40	44.3	5	4	10	..	32	35.4	8
Patna	49	46	48.8	2	1	3	1	10	10.6	..
Poona	717	338	24.5	1	2	22	..	137	9.9	34
Sangli	66	22	17.3	4	..	14	11.0	2
Satara	43	45	54.4	6	1	2	..	20	24.0	4
Sholapur.	325	287	45.9	14	22	40	..	194	31.0	40
Surat	270	199	38.3	13	5	18	1	104	20.0	26
Thana †													
Bhavnagar	171	102	31	17	3	9	..	55	16.7	13
Dhoraji	49	17	18	4	9	9.6	1
Jamnagar†													
Junagarh	66	37	29.2	4	2	2	1	22	17.2	7
Morvi	44	16	18.9	2	1	3	..	6	7.1	1
Porbander	68	45	34.4	9	2	2	..	22	16.8	8
Gondal	43	55	66.5	1	..	2	..	4	4.8	..
Rajkot	217	87	21.3	18	1	17	1	59	14.1	19
Veraval	50	36	37.4	6	..	1	..	9	9.4	2
Surendranagar . .	52	16	16	5	8	8	1
Nagpur	602	1207	104.3	36	26	27	7	472	40.8	161
Achalpur	39	27	38.7	..	1	..	7	5	18	24	6
Akola	110	70	33.1	9	4	3	..	29	13.7	4
Chanda	45	46	52	5	..	2	..	16	28.5	3
Gondia	56	40	37.1	4	4	3.7	..
Hinganghat	37	42	59	8	1	1	..	17	23.9	5
Khamgaon	47	20	22.1	4	7	7.7	2
Wardha	51	39	39.8	2	..	1	..	7	7.1	1
Yectmal	45	33	38.1	7	1	2	1	22	25.4	3
Kamptee	40	30	39	1	6	7.8	3
Amravati	111	95	44.5	8	3	4	1	29	13.6	1
Aurangabad	81	21	13.4	1	7	4.5	..
Lathur	46	19	21.5	1	..	2	..	10	11.5	..
Nanded	98	42	22.3	4	4	5	1	33	17.5	..
Parbhani	46	6	6.8	6	..	12	13.6	..
Jalna†													
TOTAL	10,459	8063	40.1	..	1	..	388	159	456	19	28,99	14.4	752

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.= Births ; B.R.= Birth Rate ; C.= Cholera ; S.= Smallpox ; P.= Plague ; F.= Fever ; D.D.= Dysentery and Diarrhoea ; R.D.= Respiratory Diseases ; M.D.= Maternal Deaths ; D.R.= Death Rate ; I.D.= Infantile Deaths (included in total deaths);.. =Nil.

REMARKS

The figures of births and deaths shown in this statement for week-ending 22nd November, 1958 relate to towns from the States of Andhra Pradesh, Assam, Madras, Mysore, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 18922 thousand out of a total population of 46,461 thousand in 320 towns of the country. The number of births and deaths recorded in these towns were 12,668 and 4,776 registering

birth and death rates of 34.8 and 13.1 per thousand of population respectively.

The towns of Palayamkottai and Sriangam in Madras State, Nellore in Andhra Pradesh Hathras in Uttar Pradesh recorded high death rates of 35.7, 35.0, 30.6, and 52.8 per thousand of population respectively. The following table gives the registered rates for different States:—

States	Current w/c 18-10-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Andhra Pradesh	28.5	11.2	27.6	12.1
Assam	22.8	9.2	12.8	14.2
Madras	41.4	15.4	43.7	17.7
Mysore	24.9	10.3	25.8	11.3
Pondicherry	53.5	19.9	49.0	24.9
Punjab	42.7	11.7	47.7	10.9
Rajasthan	17.2	7.0	21.9	13.3
Uttar Pradesh	37.0	14.6	37.7	14.3
India	34.8	13.1	36.5	14.2

NEW DELHI-2 (INDIA) ;

The 15th December, 1958.

H. R. SHARMA,

for Registrar General, India.

